

**Blue Cross and Blue Shield of Kansas
BCBSKS Proprietary 834
Acknowledgment
HIPAA 834 005010X220A1 Health Care
Benefits Enrollment and Maintenance**

07/01/2017

The BCBSKS Proprietary 834 Acknowledgement was created to assist Employer Groups and Vendors submitting the 834 Health Care Benefit Enrollment and Maintenance transaction with an additional method of identifying warnings and rejections.

If warnings and/or rejections are not present the BCBSKS Proprietary 834 Acknowledgment (ACK) will not be available

When the BCBSKS Proprietary 834 Acknowledgement is created it will be available in the "Outbound" folder.

Naming format: "ACK_input filename_internal file ID.input file extension (if present)_date-time"

Data With Error Report

Powered by Edifecs

*Executed Thursday, June 22, 2017 02:30:31 PM (Central Daylight Time)
 E:\EDIFECSEXEServer\profiles\834_Batch\workspace\B24C8371-C7CC-40F9-BD28-70110A97CEB1*

This report shows the results of a submitted data file validated against corresponding guidelines. If there are errors, you must fix the application that created the data file and then generate and submit a new data file.

Report Summary	
Total Errors: 4 Total Warnings: 3 Total Informations: 0	

Error Count By WEDI SNIP Type		
SNIP Type	SNIP Name	Counts
0	System	0
1	EDI Syntax	2 Errors 0 Warnings 0 Informations
2	HIPAA Syntax	1 Errors 2 Warnings 0 Informations
3	Balancing	0
4	Situational	1 Errors 0 Warnings 0 Informations
5	External Code Set	0
6	Line of Service	0
7	Partner Specific	0 Errors 1 Warnings 0 Informations

Edit definitions

1. **EDI Syntax (Integrity Validation)** = validating segments, segment order, element attributes, numeric values in numeric data elements, validation of X12 syntax and compliance X12 rules
2. **HIPAA Syntactical** = Validation of requirements HIPAA Implementation Guide-specific requirements, such as repeated counts, used or not used codes, elements and segments, required or intra-segment situational data elements (non-medical code sets as laid out in the Implementation Guide) and values noted via an XZ12 code list or table.
3. **Balancing Validation** = Validating the transaction for balanced field totals, record or segment counts.
4. **Situational Validation** = Validation of specific inter-segment situations described in the HIPAA Implementation Guide such as: If A occurs, then B must be populated. This is considered to include the validation of situational fields given values or situations present elsewhere in the file.
5. **External Code Set** = Validation of Implementation Guide –specific code set values.
Example:
 - Zip Codes
6. Line of Service = Not Applicable
7. **Trading Partner Specific** = Payer specific editing.
Example:
 - Missing/Invalid Master Policy Number (MPN)
 - Missing/Invalid Plan Coverage Description

#	Data				
	Entire Document start <table border="1"> <tr> <td> Errors at Entire Document level: Errors: 0 Warnings: 0 Informations: 0 </td> <td> Interchange Received:1 Interchange Accepted:0 </td> </tr> </table>	Errors at Entire Document level: Errors: 0 Warnings: 0 Informations: 0	Interchange Received:1 Interchange Accepted:0		
Errors at Entire Document level: Errors: 0 Warnings: 0 Informations: 0	Interchange Received:1 Interchange Accepted:0				
	1 Interchange start Guideline file: E:\Edifecs\BCBSKSArtifacts\guidelines\EnvelopIntC-x-5010-HIPAA.ecs <table border="1"> <tr> <td> Errors at Interchange level: Errors: 0 Warnings: 0 Informations: 0 </td> <td> Group Received:1 Group Accepted:0 </td> <td> Sender ID: 0009000 Receiver ID: ASK Control Number: 009887215 Date: 170213 </td> <td> Sender Qualifier: ZZ Receiver Qualifier: ZZ Version: 00501 Time: 0139 </td> </tr> </table>	Errors at Interchange level: Errors: 0 Warnings: 0 Informations: 0	Group Received:1 Group Accepted:0	Sender ID: 0009000 Receiver ID: ASK Control Number: 009887215 Date: 170213	Sender Qualifier: ZZ Receiver Qualifier: ZZ Version: 00501 Time: 0139
Errors at Interchange level: Errors: 0 Warnings: 0 Informations: 0	Group Received:1 Group Accepted:0	Sender ID: 0009000 Receiver ID: ASK Control Number: 009887215 Date: 170213	Sender Qualifier: ZZ Receiver Qualifier: ZZ Version: 00501 Time: 0139		
1	ISA*00*00*ZZ*0009000*ZZ*ASK*170213*0139*^*00501*009887215*1*T				
	1.1 Group start Guideline file: E:\Edifecs\BCBSKSArtifacts\guidelines\EnvelopFuncG-x-3072AndHigher-HIPAA_A1.ecs <table border="1"> <tr> <td> Errors at Group level: Errors: 0 Warnings: 0 Informations: 0 </td> <td> Transaction Received:1 Transaction Accepted:0 </td> <td> Sender ID: 0009000 Control Number: 1172131 Date: 20170213 </td> <td> Receiver ID: BCBSKS Version: 005010X220A1 Time: 01395400 </td> </tr> </table>	Errors at Group level: Errors: 0 Warnings: 0 Informations: 0	Transaction Received:1 Transaction Accepted:0	Sender ID: 0009000 Control Number: 1172131 Date: 20170213	Receiver ID: BCBSKS Version: 005010X220A1 Time: 01395400
Errors at Group level: Errors: 0 Warnings: 0 Informations: 0	Transaction Received:1 Transaction Accepted:0	Sender ID: 0009000 Control Number: 1172131 Date: 20170213	Receiver ID: BCBSKS Version: 005010X220A1 Time: 01395400		
2	GS*BE*0009000*BCBSKS*20170213*01395400*1172131*X*005010X220A1				
	1.1.1 Transaction start Guideline file: E:\Edifecs\BCBSKSArtifacts\guidelines\834x220A1.ecs <table border="1"> <tr> <td> Errors at Transaction level: Errors: 4 Warnings: 3 Informations: 0 </td> <td> Control Number: 9887215 Transaction ID: 834 </td> </tr> </table>	Errors at Transaction level: Errors: 4 Warnings: 3 Informations: 0	Control Number: 9887215 Transaction ID: 834		
Errors at Transaction level: Errors: 4 Warnings: 3 Informations: 0	Control Number: 9887215 Transaction ID: 834				
3	ST*834*9887215*005010X220A1				
4	BGN*00*201702133954*20170213*01395400****RX				
5	REF*38* MPN02345				
#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
	10xe0010	Business Message: An error was reported from a JavaScript rule. Invalid MPN. Location: REF*38	7 - Partner Specific	Rejection	ID: 127 IID: 168 Name: Reference Identification Standard Option: Relational User Option: Must Use Max Use: 1 Min Length: 1 Max Length: 50 Type: Alphanumeric

A rejection is reflected in **RED**. Error = REF*38* **MPN02345**
In this example the MPN02345 is invalid and the file can not be processed. The error message reflects Invalid MPN in the REF*38. The file was rejected.

The Employer Group will need to correct this information and resubmit.

6	DTP*007*D8*20170213
7	N1*P5*Health Data Specialists*FI*311653050
8	N1*IN*BCBSKS*FI*480952857
9	INS* U * 18 *030*AI*A*** AC

#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
2	0x810024	<p>Business Message: An invalid code value was encountered.</p> <p>Element INS01 (Yes/No Condition or Response Code) does not contain a valid identification code: 'U' is not allowed. Segment INS is defined in the guideline at position 0100.</p> <p>This error was detected at: Segment Count: 7 Element Count: 1 Characters: 365 through 366</p>	2 - HIPAA Syntax	Normal	<p>ID: 1073 IID: 1691 Name: Yes/No Condition or Response Code Standard Option: Mandatory User Option: Must Use Max Use: 1 Min Length: 1 Max Length: 1 Type: Identifier</p>

#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
3	0x39393df	<p>Business Message: Individual Relationship Code is invalid.</p> <p>Value of element INS02 is incorrect. Value '18' is not expected to be used when INS01 is not 'Y'. Segment INS is defined in the guideline at position 0100.</p> <p>This error was detected at: Segment Count: 7 Element Count: 2 Character: 367 through 369</p>	4 - Situational	Normal	<p>ID: 1069 IID: 1702 Name: Individual Relationship Code Standard Option: Mandatory User Option: Must Use Max Use: 1 Min Length: 2 Max Length: 2 Type: Identifier</p>

#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
4	0x39392fb	<p>Business Message: Employment Status Code should not be used.</p> <p>Element INS08 is used. It should not be used when INS01 is not 'Y'. Segment INS is defined in the guideline at position 0100.</p> <p>This error was detected at: Segment Count: 7 Element Count: 8 Character: 381 through 383</p>	2 - HIPAA Syntax	Warning	<p>ID: 584 IID: 1795 Name: Employment Status Code Standard Option: Optional User Option: Used Max Use: 1 Min Length: 2 Max Length: 2 Type: Identifier</p>

A warning is reflected in **RED**. INS* **U** * **18** *030*AI*A*** **AC**
 In this example the value of "**U**" is not allowed, the "**18**" is not to be used when the INS01 is not "Y", the INS08, "**AC**", should not be used when the INS01 is not a "Y".

The Employer Group will need to correct this information before the next submission.

10	REF*0F*009600481				
11	REF*1L*27532				
12	DTP*303*D8*20170101				
13	DTP*356*D8*20170101				
14	DTP*336*D8*20110404				
15	NM1*IL*1*LATTA*STEPHANIE*A*** 34 ☒				
#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
5	0x9210019	<p>Business Message: An HIPAA syntax error occurred.</p> <p>If either of NM108, NM109 is present, then all must be present. The syntax rule P0809 of Segment NM1 is violated. Segment NM1 is defined in the guideline at position 0300.</p> <p>This error was detected at: Segment Count: 13 Element Count: 8 Characters: 515 through 517</p>	1 - EDI Syntax	Normal	<p>ID: 66 IID: 2239 Name: Identification Code Qualifier Standard: Relational Option: Used User Option: Used Max Use: 1 Min Length: 1 Max Length: 2 Type: Identifier</p>
#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
6	0x39393b6	<p>Business Message: Social Security Number (SSN) for Member Name is invalid.</p> <p>Value of element NM109 is incorrect. Expected value is Social Security Number (format is '9 digits or '000-00-0000') when NM108='34'. Segment NM1 is defined in the guideline at position 0300.</p> <p>This error was detected at: Segment Count: 13 Element Count: 9 Character: 517 through 517</p>	2 - HIPAA Syntax	Warning	<p>ID: 67 IID: 2250 Name: Identification Code Standard: Relational Option: Used User Option: Used Max Use: 1 Min Length: 2 Max Length: 80 Type: Alphanumeric</p>
#	Error ID	Error Message	SNIP Type	Severity	Guideline Properties
7	0x9210019	<p>Business Message: An HIPAA syntax error occurred.</p> <p>If either of NM108, NM109 is present, then all must be present. The syntax rule P0809 of Segment NM1 is violated. Segment NM1 is defined in the guideline at position 0300.</p> <p>This error was detected at: Segment Count: 13 Element Count: 9 Characters: 517 through 517</p>	1 - EDI Syntax	Normal	<p>ID: 67 IID: 2250 Name: Identification Code Standard: Relational Option: Used User Option: Used Max Use: 1 Min Length: 2 Max Length: 80 Type: Alphanumeric</p>

A warning is reflected in **RED**. NM1*IL*1*LATTA*STEPHANIE*A*** 34
 In this example if either the NM108, NM109 is present then all must be present. NM109 is incorrect and should contain a valid 9 digit Social Security number since the NM108 contains a 34 qualifier.

The Employer Group will need to correct this information before the next submission.

16	N3*3210 WEST 126TH AVENUE
17	N4*BROOMFIELD*CO*80020
18	DMG*D8*19650905*F
19	HD*030**HLT*BBHI*EMP
20	DTP*348*D8*20170101
21	SE*19*9887215
22	GE*1*1172131
23	IEA*1*009887215

This report is the proprietary and confidential information of Edifecs, Inc. Any unauthorized use or disclosure of this report, or any portion or derivative thereof, is strictly prohibited.